



TALBOT CHEMICALS LTD

Safety Data Sheet Wheel Cleaner

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name	Wheel Cleaner
Product number	TCWC
Brand	Talbots

Relevant identified uses of the substance or mixture and uses advised against

PC35: Washing and cleaning products (including solvent based products).

Details of the supplier of the safety data sheet

Name	Talbot Chemicals Ltd
Address	Telford Drive NG24 2DX Newark Nottinghamshire UK
Telephone	01636611707
Fax	01636611708
email	talbots.tc@gmail.com

Emergency telephone number

01636 611707

SECTION 2: Hazards identification

General hazard statement

Safety Data Sheet

Wheel Cleaner

Avoid Contact with clothing, and Don't mix with other chemicals.

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

- Serious eye damage/eye irritation, Cat. 1, H318
- Skin corrosion/irritation, Cat. 1, H314

For the full text corresponding to the "H"-codes displayed in this section, refer to Section 16.

Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms



Signal word

Danger

Hazard statements

H314
H318

Causes severe skin burns and eye damage
Causes serious eye damage

Precautionary statements

P260
P264
P280
P301+P330+P331
P303+P361+P353

P304+P340
P305+P351+P338

P310
P321
P363
P405
P501

Do not breathe dust/fume/gas/mist/vapors/spray.
Wash ... thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor/...
Specific treatment (see ... on this label).
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container to ...

SECTION 3: Composition/information on ingredients

Mixtures

Components

1. Sodium hydroxide

Concentration	1 - 5 % (weight)
EC no.	215-185-5
CAS no.	1310-73-2

Safety Data Sheet

Wheel Cleaner

Index no. 011-002-00-6
REACH number (EU) Registration number 01-2119457892-27

- Skin corrosion/irritation, Cat. 1A

H314 Causes severe skin burns and eye damage

2. Alcohols, C9-11, ethoxylated

Concentration 1 - 5 % (weight)
EC no. 614-482-0
CAS no. 68439-46-3
REACH number (EU) N/A

- Acute toxicity, oral, Cat. 4
- Eye damage/irritation, Cat. 1

H302 Harmful if swallowed
H318 Causes serious eye damage

3. Dipropylene glycol monomethyl ether

Concentration 1 - 5 % (weight)
EC no. 252-104-2
CAS no. 34590-94-8
REACH number (EU) Registration number 01-2119450011-60

- Flammable liquids, Cat. 4

H227 Combustible liquid

SECTION 4: First aid measures

Description of first aid measures

Following inhalation
Remove person to fresh air. If you feel unwell, get medical attention.

Following skin contact
Wash with plenty of soap and water. Get medical attention if irritation develops or persists.

Following eye contact
Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention

Following ingestion
Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Safety Data Sheet

Wheel Cleaner

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

Extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

None

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions

Do not let product enter drains.

Methods and material for containment and cleaning up

Eliminate all sources of ignition. Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes. Do not eat, drink or smoke while handling. Wash hands with soap and water after handling. For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

Wheel Cleaner

Control parameters

1. Sodium hydroxide (CAS: 1310-73-2)

Parameter	PEL
Route of exposure	Inhalation
Value	2 mg/m ³
Source	OSHA
Measurement basis & notes	OSHA Annotated Table Z-1, www.osha.gov

Parameter	PEL
Route of exposure	Inhalation
Value	(C) 2 mg/m ³
Source	Cal/OSHA
Measurement basis & notes	OSHA Annotated Table Z-1, www.osha.gov

Parameter	REL
Route of exposure	Inhalation
Value	(C) 2 mg/m ³
Source	NIOSH
Measurement basis & notes	OSHA Annotated Table Z-1, www.osha.gov

Parameter	WEL
Route of exposure	Inhalation
Value	(C) 2 mg/m ³
Source	ACGIH
Measurement basis & notes	OSHA Annotated Table Z-1, www.osha.gov

2. Dipropylene glycol monomethyl ether (CAS: 34590-94-8 EC: 252-104-2)

Parameter	PEL
Route of exposure	Inhalation
Value	100 ppm
Source	OSHA
Measurement basis & notes	OSHA Annotated Table Z-1, www.osha.gov

Parameter	PEL
Route of exposure	Inhalation
Value	600 mg/m ³
Source	OSHA
Measurement basis & notes	OSHA Annotated Table Z-1, www.osha.gov

Parameter	PEL
Route of exposure	Inhalation
Value	100 ppm, (ST) 150 ppm
Source	Cal/OSHA
Measurement basis & notes	OSHA Annotated Table Z-1, www.osha.gov

Parameter	REL
Route of exposure	Inhalation
Value	100 ppm, (ST) 150 ppm
Source	NIOSH
Measurement basis & notes	OSHA Annotated Table Z-1, www.osha.gov

Parameter	WEL
Route of exposure	Inhalation
Value	100 ppm, (ST) 150 ppm
Source	ACGIH
Measurement basis & notes	OSHA Annotated Table Z-1, www.osha.gov

Exposure controls

Safety Data Sheet

Wheel Cleaner

Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye and face protection

Safety glasses are recommended if there is splash hazard.

Skin protection

Wear protective gloves, such as nitrile gloves.

Body protection

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Not required under normal use conditions. If engineering controls and ventilation are not sufficient to control exposure to below the allowable limits then an appropriate NIOSH/MSHA approved air-purifying respirator with organic vapor/acid gas cartridge and particulate filter, or self-contained breathing apparatus must be used. Supplied air breathing apparatus must be used when oxygen concentrations are low or if airborne concentrations exceed the limits of the air-purifying respirators.

Thermal hazards

No data available.

Environmental exposure controls

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear/Liquid
Colour	Colourless
Odour	None
Odour threshold	N/A
Melting point/freezing point	-10
Boiling point or initial boiling point and boiling range	N/A
Flammability	Non flammable
Lower and upper explosive limit	N/A
Flash point	N/A
Explosive properties	N/A
Auto-ignition temperature	N/A
Decomposition temperature	N/A
Oxidising properties	N/A
pH	13
Kinematic viscosity	N/A
Solubility	Readily Soluble
Partition coefficient n-octanol/water (log value)	N/A
Vapour pressure	N/A
Evaporation rate	Standard
Density and/or relative density	1.020

Safety Data Sheet

Wheel Cleaner

Relative vapour density

N/A

Other information

Information with regard to physical hazard classes

Other safety characteristics

SECTION 10: Stability and reactivity

Reactivity

This material is considered to be non reactive under normal use conditions.

Chemical stability

Stable under normal storage conditions.

Possibility of hazardous reactions

No data available.

Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

No data available

Sodium hydroxide : Caustic soda reacts with all the mineral acids to form the corresponding salts. It also reacts with weak-acid gases, such as hydrogen sulfide, sulfur dioxide, and carbon dioxide. Caustic soda reacts with amphoteric metals (Al, Zn, Sn) and their oxides to form complex anions such as AlO_2^- , ZnO_2^{2-} , SnO_2^{2-} , and H_2 (or H_2O with oxides). All organic acids also react with sodium hydroxide to form soluble salts. Another common reaction of caustic soda is dehydrochlorination.

Dipropylene glycol monomethyl ether: Strong oxidizing agents, Strong acids

Hazardous decomposition products

No data available.

Sodium hydroxide : Sodium oxides

Dipropylene glycol monomethyl ether: Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Components:

Safety Data Sheet

Wheel Cleaner

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Acute and delayed symptoms and effects from inhalation, skin and eye contact and ingestion are listed in Section 4.

Skin corrosion/irritation

Causes severe skin burns.

Serious eye damage/irritation

Risk of serious damage to eyes.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Based on available data, classification data are not met

Carcinogenicity

Based on available data, classification data are not met

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration hazard

No data available

Information on other hazards

SECTION 12: Ecological information

Toxicity

No data available on product

Persistence and degradability

No data available on product

Bioaccumulative potential

No data available on product

Mobility in soil

No data available on product.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

SECTION 13: Disposal considerations

Waste treatment methods

Safety Data Sheet

Wheel Cleaner

Product disposal

Dispose of contents/ container in accordance with the local/regional/national/international regulations. Recycle the container where possible

Packaging disposal

Dispose of as unused product.

Waste treatment

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of container in accordance with the local/regional/national/international regulations. HDPE is readily recyclable. Please recycle where possible.

Sewage disposal

Dispose of contents in accordance with the local/regional/national/international regulations.

SECTION 14: Transport information

UN Number	None
UN Proper Shipping Name	None
Transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None
Maritime transport in bulk according to IMO instruments	None

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

TC

Not applicable.

Chemical Safety Assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

SECTION 16: Other information

Full text of hazard statements referenced in Section 2

H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Further information/disclaimer

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.